

Avantor Performance Materials, LLC 100 Matsonford Rd., Suite 200 Radnor, PA 19087 USA www.avantorsciences.com

Barium Sulfate

Product Regulatory Data Sheet

Section 1 – Product Information

Products Covered

| Brand | <u>Product</u> <u>Code</u> | Product Description | MOC* code |
|------------------------|-------------------------------|---|--------------|
| J.T.Baker® | 1040 | Barium Sulfate U.S.P. | R |
| J.T.Baker® | 1041 | Barium Sulfate, U.S.P. Multi-Compendial | R |
| Macron Fine Chemicals™ | 4518 | Barium Sulfate, For Formulation U.S.P. | R |
| Macron Fine Chemicals™ | 8821 | Barium Sulfate U.S.P. | R |

*MOC = Management of Change

Section 2 – Manufacturing, Packaging and Release Site Information

The products in Section 1 are manufactured according to current Good Manufacturing Practices (cGMPs) as set forth by International Pharmaceutical Excipients Council (IPEC) guidelines.

A number of the cGMP produced products that are sold by Avantor Performance Materials, LLC may not be originally manufactured at our sites. However, we perform the analytical and stability testing for these products and repackage the products where applicable. With ISO and cGMP procedures, in place at our facilities we can ensure, and take complete responsibility for, the traceability and quality of the finished, packaged product that we offer.

The Original Manufacturer and address will be referenced on the Certificate of Analysis as an alpha or alpha-numeric **manufacturer code** rather than listing the full name and address. This practice is compliant with both ICH Q7 Good Manufacturing Guidance for Active Pharmaceutical Ingredients (APIs) and IPEC guidelines and it meets cGMP requirements. For instructions to decipher the manufacturer reference code please consult our website. Instructions can be found in the Ask Avantor

Rev. 9; July 26, 2021 Page 1 of 10 Barium Sulfate



Q&A Center of the customer support section of our web site or by directly linking to www.askavantor.com Keyword: Manufacturer Code.

Section 3 – Physical/Chemical Information

CAS #: 7727-43-7

Manufacturing Process: Synthesis

Raw Material Origin: Chemical

Section 4 – Regulatory Information

Compendial Compliance: Please see the current product specifications at www.avantorsciences.com.

DMF: Avantor Performance Materials, LLC may hold Master File(s) for specified product codes, dependant on the country of interest. Inquire with regulatory.support@avantorsciences.com for additional details.

BSE/TSE Status: The subject materials are manufactured from raw materials that contain NO animal parts, products, and/or by-products nor do they come in contact with animal parts, products, and/or by-products.

Allergen/Hypersensitivities Information: To the best of our knowledge the allergens listed in the <u>US</u> <u>FDA</u>, <u>EU Directive 2003/89/EC</u>, and <u>TGO-91/92</u> are not known additives, by products, intermediate parts, or otherwise intentionally added during the manufacturing processes of the product.

Neither Avantor Performance Materials, LLC nor the Original Manufacturer produce any of the following types of products: Antibiotics, Aflatoxins, Penicillin, Semi-Synthetic Penicillins, Cephalosporins, other Beta-Lactams, Cytotoxics, Steroids, Medicated Feeds, or Pesticides.

This product is manufactured and packaged using cGMP guidelines which provide controls that allow no potential for cross contamination of any allergens or other contaminants. However, this product is not tested for the presence of these or any other allergens by Avantor Performance Materials, LLC or the Original Manufacturer, therefore, we do not have confirmation for the absence of any allergens in the product.

GMO Information: The subject materials, including any raw materials and processing aids, are NOT subject to genetic modification.

Rev. 9; July 26, 2021 Page 2 of 10 Barium Sulfate



Residual Solvents/Organic Volatile Impurities (OVI) Information: The subject materials (all lots) comply with the requirements of the ICH Q3C Residual Solvents Guideline and USP<467>Residual Solvents. No Class 1, 2, 3 or other solvents are used or produced in the manufacturing or purification of the product.

Elemental Impurities: Please see attached summary for Elemental Impurity information for listed products.

Kosher Status: The subject materials are not Kosher Certified. Please refer to the customer support section of our website for our most up to date listing of Kosher products. (<u>www.askavantor.com</u> Keyword: Kosher)

Halal Status: The subject materials are not Halal Certified. Please refer to the customer support section of our website for our most up to date listing of Halal products. (www.askavantor.com Keyword: Halal)

GRAS Status: CAS # 7727-43-7 has not been assessed as GRAS under CFR parts 181, 182, 184 or 186.

Section 5 – Miscellaneous Product Information

Certificate of Analysis Date Format: The Manufactured Date and Expiration/Retest Date on the C of A are reported as YYYY/MM/DD from our ERP system effective April 30, 2012. For example, the Manufactured Date for October 1, 2012 would be reported as 2012/10/01.

Prior to ERP implementation, the Release Date on the C of A was reported as MM/DD/YYYY. For example, the Release Date for October 1, 2012 would have been reported as 10/01/2012.

Lot Numbering System and Batch Description: Please refer to the customer support section of our website for information concerning our lot/batch numbering system. (www.askavantor.com Keyword: Lot Number)

Batch Definition: A "batch" is a homogeneous unit of production; each batch of is from one single batch of the source supplier.

Shelf Life Information: If a product has an assigned expiration or retest period, the date will appear on the certificate of analysis. For products that do not have assigned dates please contact Technical Support through the customer support section of our website for our product stability profiles. (www.askavantor.com Keyword: Expiration)

Management of Change: Please refer to the customer support section of our website for information concerning our Management of Change program. (www.askavantor.com Keyword: MOC)

Rev. 9; July 26, 2021 Page 3 of 10 Barium Sulfate



Country of Origin Statement: Country of Origin is indicated on the product Certificate of Analysis. Please contact our Trade Compliance if you require further documentation (<u>Trade.Compliance@avantorsciences.com</u>).

Storage Requirements: Please refer to the product Certificate of Analysis/Product Specifications. In the absence of specific storage conditions listed on the Avantor specification sheet or certificate of analysis, our products are to be stored in ambient conditions of temperature and humidity. We do not formally tie any specific temperature or humidity range with the 'ambient' storage designation, but an example of a common temperature interpretation is 15-30°C. Our products are also packaged to protect from the normal variation in humidity during storage and shipment. Further handling and storage information may be found in Section 7 of the product SDS sheet.

Section 6 – Revision History

Rev. 0; Oct. 1, 2007 - IPEC EIP format

Rev. 1; Oct. 3, 2008 – Section 4: updated residual solvents information

Rev. 2; October 4, 2011 –Entire document: new letterhead, and changed all references of "Solv IT Center" to "AskAvantor." Updated website links for new website; Section 1: Mallinckrodt brand name updated to Macron; added MOC codes; Section 2: added GMP statement; Section 4: expanded Allergens list; added Residual Metallic Catalysts statement; Section 7: updated contact information; minor formatting. PH/MCH

Rev. 3; Dec. 5, 2012- No change to Revision 2. (KH)

Rev. 4; Dec. 5, 2012 – Section 4: added add'l allergens as listed in EU Directive 2003/89/EC; updated Residual Metallic Catalysts statement; separated Kosher/Halal status and added certification statement; Section 5: added Management of Change information; added COA Date Format statement; Section 7: removed contact list table and added CS/TS contact information. JDR Rev. 5; October 21, 2016 – Section 4: Updated EMEA Residual Metallic statement to reflect current guideline revision; Section 7: removed contact list table and added CS/TS contact information (MCH) Rev. 6; November 9, 2018- Entire Document: New format, letterhead, and updated Headquarters address. Section 4: updated website to www.avantorinc.com (EC)

Rev. 7; November 9, 2018- Entire Document: New format, letterhead, and updated Headquarters address. Section 4: updated website to www.avantorinc.com (EC)

Rev. 8; November 27, 2018 – Section 4: Removed Residual Metallic Catalyst statement and replaced with Elemental Impurities. (MCH)

Rev. 9; July 26, 2021- Entire Document: Minor formatting. Updated website and email addresses from avantorinc.com to avantorsciences.com; Section 4: Updated DMF and Allergen/Hypersensitivities Information statements. Added GRAS Status statement; Section 5: Removed Organic Status statement. Product numbers are not F.C.C.; Section 6: Corrected Revision History misalignment. See Rev. 3; Section 7: Added email addresses. (KH)

This electronic document is valid without a signature.

Rev. 9; July 26, 2021 Page 4 of 10 Barium Sulfate



Section 7 - Contact Information

Customer Service

Phone: 1-855-282-6867 1-610-573-2600 (outside U.S.)

Fax: 1-610-573-2650

CS.Specialist@avantorsciences.com

Technical Service

Phone: 1-855-282-6867

1-610-573-2600 (outside U.S.)

Fax: 1-610-573-2650

Technical.Service@avantorsciences.com

While the above information is provided in good faith and believed to be accurate as of the date provided, Avantor Performance Materials ("Avantor") makes no representations or warranties as to the accuracy or completeness of such information. All Avantor products are subject to Avantor's terms and conditions of sale including the limitations of liability contained therein and any contrary terms and conditions are expressly rejected. As Avantor has no control over purchasers' uses of its products, Avantor expressly disclaims all liability with respect to same.

The most current revision of this document is maintained on our website. Reviews and revisions are performed as warranted due to product changes or as part of the supplier audit cycle

Trademarks are owned by Avantor Performance Materials, LLC. or its affiliates unless otherwise noted. © 2021 Avantor Performance Materials, LLC.

Rev. 9; July 26, 2021 Page 5 of 10 Barium Sulfate



Avantor Performance Materials, LLC 100 Matsonford Rd., Suite 200 Radnor, PA 19087 USA www.avantorsciences.com

| Material Name: Barium Sulfate Product codes: 1040,1041, 4518, 8821 Date: November 27, 2018 |
|---|
| Source/Type of Excipient: ☐ Mineral; ☐ Mineral derived; ☐ Plant; ☐ Plant derived; ☒ Synthetic; ☐ Fermentation derived |
| Other (explain): |
| Other than barium, no Class 1, 2A, 2B, or 3 elementals are intentionally added to the production process (Note: Product is a barium |
| salt). |

| Elemental Impurity | | Class | Likely to be Present | | | If Known, Please Identify the Expected Concentration /Units (or Range) | Analytical Method Used (and Limit of Detection if Available) | Comments regarding source of information (i.e.; number of lots tested, frequency of testing, process understanding, etc.) |
|------------------------|----|-------|----------------------|------|-----------|--|--|---|
| Arsenic (inorganic) | As | 1 | Yes 🗌 | No 🛚 | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, all below detection limit |
| Cadmium | Cd | 1 | Yes 🗌 | No 🛚 | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, all below detection limit |
| Mercury (inorganic) | Hg | 1 | Yes 🗌 | No 🗵 | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, all below detection limit |
| Lead | Pb | 1 | Yes 🗌 | No 🗵 | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, all below detection limit |

Rev. 9; July 26, 2021 Page 6 of 10 Barium Sulfate



| Elemental Impurity | | Class | Lil | kely to be | Present | If Known, Please Identify the Expected Concentration /Units (or Range) | Analytical Method Used (and Limit of Detection if Available) | Comments regarding source of information (i.e.; number of lots tested, frequency of testing, process understanding, etc.) |
|-----------------------|----|-------|-------|------------|-----------|--|--|---|
| Cobalt | Со | 2A | Yes 🗌 | No 🛚 | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, all below detection limit |
| Nickel | Ni | 2A | Yes 🗌 | No 🗵 | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, all below detection limit |
| Vanadium | V | 2A | Yes 🗌 | No ⊠ | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, all at reported value |
| Silver | Ag | 2B | Yes 🗌 | No ⊠ | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, all below detection limit |
| Gold | Au | 2B | Yes 🗌 | No 🗵 | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, all below detection limit |
| Iridium | Ir | 2B | Yes 🗌 | No ⊠ | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, all below detection limit |
| Osmium | Os | 2B | Yes 🗌 | No ⊠ | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, all below detection limit |
| Palladium | Pd | 2B | Yes 🗌 | No 🗵 | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, all below detection limit |
| Platinum | Pt | 2B | Yes 🗌 | No 🗵 | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, all below detection limit |

Rev. 9; July 26, 2021 Page 7 of 10 Barium Sulfate



| Elemental Impurity | | Class | Lil | kely to be | Present | If Known, Please Identify the Expected Concentration /Units (or Range) | Analytical Method Used (and Limit of Detection if Available) | Comments regarding source of information (i.e.; number of lots tested, frequency of testing, process understanding, etc.) |
|-----------------------|----|-------|-------|------------|-----------|--|--|---|
| Rhodium | Rh | 2B | Yes 🗌 | No 🛚 | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, all below detection limit |
| Ruthenium | Ru | 2B | Yes 🗌 | No 🗵 | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, all below detection limit |
| Selenium | Se | 2B | Yes 🗌 | No ⊠ | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, all below detection limit |
| Thallium | TI | 2B | Yes 🗌 | No 🗵 | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, all below detection limit |
| Barium | Ва | 3 | Yes ⊠ | No 🗆 | Unknown 🗌 | N/A | N/A | Product is a barium salt. |
| Chromium | Cr | 3 | Yes 🗌 | No ⊠ | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, range reported |
| Copper | Cu | 3 | Yes 🗌 | No ⊠ | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, range reported |
| Lithium | Li | 3 | Yes 🗌 | No ⊠ | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, range reported |
| Molybdenum | Мо | 3 | Yes 🗌 | No 🗵 | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, all below detection limit |

Rev. 9; July 26, 2021 Page 8 of 10 Barium Sulfate



| Elemental Impurity | | Class | Likely to be Present | | | If Known, Please Identify the Expected Concentration /Units (or Range) | Analytical Method Used (and Limit of Detection if Available) | Comments regarding source of information (i.e.; number of lots tested, frequency of testing, process understanding, etc.) |
|-----------------------|----|-------|----------------------|------|-----------|--|--|---|
| Antimony | Sb | 3 | Yes 🗌 | No 🛚 | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, all below detection limit |
| Tin | Sn | 3 | Yes 🗌 | No 🛚 | Unknown 🗌 | <0.05 ppm | ICP-MS (MRL=0.05 ppm) | 3 commercial batches tested, all below detection limit |

Reference: ICH Q3D Guideline for Elemental Impurities, Step 4 version, September 2014

David L. Cugini, Sr. QA Analyst

Prepared by the Technical Service Department

Avantor™ Performance Materials, LLC

Rev. 9; July 26, 2021 Page 9 of 10 Barium Sulfate



Avantor™ Performance Materials, LLC provides the information contained herein in good faith but makes no representations or warranties, either expressed or implied, including without limitation any warranties of merchantability or fitness for a particular purpose with respect to the information set forth herein or the product(s) to which the information refers. Accordingly, Avantor™ Performance Materials, LLC will not be responsible for damages resulting from the use of or reliance upon this information.

Trademarks are owned by Avantor Performance Materials, LLC or its affiliates unless otherwise noted.

© 2018 Avantor Performance Materials, LLC

Rev. 9; July 26, 2021 Page 10 of 10 Barium Sulfate